UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/596,362	06/09/2006	Shigeyuki Hamayoshi	Q95337	5666
23373 7590 08/09/2010 SUGHRUE MION, PLLC			EXAMINER	
2100 PENNSY	LVÁNIA AVENUE, N	AFZALI, SARANG		
SUITE 800 WASHINGTOI	ASHINGTON, DC 20037		ART UNIT	PAPER NUMBER
			3726	
			NOTIFICATION DATE	DELIVERY MODE
			08/09/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

sughrue@sughrue.com PPROCESSING@SUGHRUE.COM USPTO@SUGHRUE.COM

	Application No.	Applicant(s)				
Office Action Summers	10/596,362	HAMAYOSHI ET AL.				
Office Action Summary	Examiner	Art Unit				
	SARANG AFZALI	3726				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on						
	action is non-final.					
	-					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-12</u> is/are pending in the application.						
,	· · · · · · · · · · · · · · · · · · ·					
4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed.						
6) Claim(s) is/are allowed.						
7) Claim(s) is/are rejected.						
8) Claim(s) is/are objected to: 8) Claim(s) <u>1-12</u> are subject to restriction and/or e	Jection requirement					
o) Claim(s) 1-12 are subject to restriction and/or e	nection requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage 						
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Gee the attached detailed Office action for a list of	or the certified copies not receive	u.				
Attachment(s)						
1) Notice of References Cited (PTO-892) A) Interview Summary (PTO-413) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO/SB/08) 5) Notice of Informal Patent Application						
Paper No(s)/Mail Date 6) U Other:						

DETAILED ACTION

Election/Restrictions

1. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

Species A: Embodiment in claims 2-4; and

Species B: Embodiment in claims 5-12.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Currently, claim 1 is generic.

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons:

Species A is directed to a roll for use in galvanizing pot with claimed composition, density, bending strength and a coefficient driven based on that information which is not required by species B.

Species B is directed to a roll for use in galvanizing pot with claimed diameter regions and features related to the geometry of the roll which is not required by species A.

In accordance with the guidance set forth in MPEP section 1850, it has been determined *a posteriori*, i.e., after taking the prior art into consideration, that the features common to all the claims, i.e., the features of independent generic claim 1, do not constitute "special technical features" since they do not make a "contribution" over the prior art in light of at least U.S. PGPUB No. 2002/0164475A1 to Imamura et al. Specifically note that Imamura et al. teach (a silicon nitride sintered body used as a sink rolls/support rolls with high thermal conductivity, paragraph [0093], lines 1-19 and a surface roughness of up to 20 micrometer, paragraph [0044], lines 1-3).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SARANG AFZALI whose telephone number is (571)272-8412. The examiner can normally be reached on 7:00-3:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bryant can be reached on (571) 272-4526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/596,362 Page 4

Art Unit: 3726

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/SARANG AFZALI/ Examiner, Art Unit 3726 7/31/2010